



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

*Reports of States and yearly and monthly reports of cities.*

CONNECTICUT—*Hartford*.—Month of June, 1898. Estimated population, 72,000. Total number of deaths, 82, including diphtheria, 2; scarlet fever, 1, and phthisis pulmonalis, 8.

*New Haven*.—Month of March, 1898. Population, 110,000. Total number of deaths, 173, including diphtheria, 8; measles, 4; whooping cough, 6, and 17 from phthisis pulmonalis.

• Month of April, 1898. Total number of deaths, 149, including diphtheria, 4; enteric fever, 1; measles, 1; whooping cough, 7, and 22 from phthisis pulmonalis.

Month of May, 1898. Total number of deaths, 132, including diphtheria, 2; whooping cough, 9, and 23 from phthisis pulmonalis.

*Westport*.—Month of June, 1898, estimated population, 4,000. Total number of deaths, 5, including 1 from phthisis pulmonalis.

GEORGIA—*Columbus*.—Month of June, 1898. Estimated population, 19,303; white, 10,276; colored, 9,027. Total number of deaths, 30; white, 11; colored, 19; including enteric fever, 1, and phthisis pulmonalis, 1.

INDIANA—*Evansville*.—Month of June, 1898. Estimated population, 70,000. Total number of deaths, 77, including whooping cough, 2, and 3 from phthisis pulmonalis.

IOWA—*Cedar Rapids*.—Month of May, 1898. Estimated population, 21,555. Total number of deaths, 8.

*Davenport*.—Month of May, 1898. Estimated population, 36,000. Total number of deaths, 38, including 7 from phthisis pulmonalis.

*Des Moines*.—Month of May, 1898. Estimated population, 82,600. Total number of deaths, 45, including 8 from phthisis pulmonalis.

*Dubuque*.—Month of May, 1898. Estimated population, 45,000. Total number of deaths, 35, including diphtheria, 1, and phthisis pulmonalis, 5.

*Eldon*.—Month of May, 1898. Estimated population, 1,900. Total number of deaths, 1.

*Keokuk*.—Month of May, 1898. Estimated population, 19,305. Total number of deaths, 23, including 5 from phthisis pulmonalis.

*Ottumwa*.—Month of April, 1898. Estimated population, 18,000. Total number of deaths, 20, including 1 from phthisis pulmonalis.

*Sibley*.—Month of April, 1898. Estimated population, 1,300. Total number of deaths, 1.

MICHIGAN.—Reports to the State board of health, Lansing, from 60 observers, for the week ended July 2, 1898, indicate that cholera morbus, erysipelas, and phthisis pulmonalis increased, and bronchitis, pleuritis, intermittent fever, and inflammation of kidney decreased in area of prevalence. Phthisis pulmonalis was reported present at 178, measles at 32, scarlet fever at 16, diphtheria at 14, enteric fever at 12, and whooping cough at 11 places.

MINNESOTA—*Winona*.—Month of June, 1898. Estimated popula-

tion, 22,000. Total number of deaths, 30, including 1 from phthisis pulmonalis.

OHIO—*Toledo*.—Estimated population, 143,755. Total number of deaths, 96, including enteric fever, 1, and 12 from phthisis pulmonalis.

PENNSYLVANIA—*Williamsport*.—Month of June, 1898. Estimated population, 35,000. Total number of deaths, 11, including 1 from phthisis pulmonalis.

TENNESSEE—*Chattanooga*.—Month of June, 1898. Estimated population, 40,000; white, 27,000; colored, 13,000. Total number of deaths, 38, including 3 from phthisis pulmonalis.

*Memphis*.—Month of June, 1898. Estimated population, 61,747; white, 31,430; colored, 30,317. Total number of deaths, 102; white, 36; colored, 66; including enteric fever, 2, and 14 from phthisis pulmonalis.

VIRGINIA—*Lynchburg*.—Month of June, 1898. Estimated population, 30,000. Total number of deaths, 54, including enteric fever, 1, and 3 from phthisis pulmonalis.

WEST VIRGINIA—*Wheeling*.—Three months ended June 30, 1898. Estimated population, 37,000. Total number of deaths, 142, including diphtheria, 2; enteric fever, 6; measles, 1; whooping cough, 19, and 12 from phthisis pulmonalis.

WISCONSIN—*Superior*.—Month of June, 1898. Estimated population, 35,000. Total number of deaths, 35.